



Message-Passing Thought Exercise

Traffic Modelling

David Henty
EPCC

d.henty@epcc.ed.ac.uk

+44 131 650 5960

- we want to predict traffic flow
 - to look for effects such as congestion
- build a computer model



- divide road into a series of cells
 - either occupied or unoccupied
- perform a number of steps
 - each step, cars move forward if space ahead is empty




**could do this by moving
pawns on a chess board**

- model predicts a number of interesting features
- traffic lights



- congestion
- more complicated models are used in practice




how fast can we run the model?

- measure speed in Car Operations Per second
 - how many COPs?
- around 2 COPs
- but what about three people?
 - can they do six COPs?



Parallel Traffic Modeling



- If $R^t(i) = 0$, then $R^{t+1}(i)$ is given by:

–	$R^t(i-1) = 0$	$R^t(i-1) = 1$
– $R^t(i+1) = 0$	0	1
– $R^t(i+1) = 1$	0	1

- If $R^t(i) = 1$, then $R^{t+1}(i)$ is given by:

–	$R^t(i-1) = 0$	$R^t(i-1) = 1$
– $R^t(i+1) = 0$	0	0
– $R^t(i+1) = 1$	1	1

```
declare arrays old(i) and new(i), i = 0,1,...,N,N+1
initialise old(i) for i = 1,2,...,N-1,N (eg randomly)
loop over iterations
    set old(0) = old(N) and set old(N+1) = old(1)
    loop over i = 1,...,N
        if old(i) = 1
            if old(i+1) = 1 then new(i) = 1 else new(i) = 0
        if old(i) = 0
            if old(i-1) = 1 then new(i) = 1 else new(i) = 0
    end loop over i
    set old(i) = new(i) for i = 1,2,...,N-1,N
end loop over iterations
```



```
declare arrays old(i) and new(i), i = 0,1,...,N,N+1
```

```
initialise old(i) for i = 1,2,...,N-1,N (eg randomly)
```

```
loop over iterations
```

```
! Implement boundary conditions
```

```
    set old(0) = old(N) and set old(N+1) = old(1)
```

```
! Update road
```

```
    call newroad(new, old, N)
```

```
! Prepare for next iteration
```

```
    set old(i) = new(i) for i = 1,2,...,N-1,N
```

```
end loop over iterations
```

```
! assume we are running on P processes

declare arrays old(i) and new(i), i = 0,1,...,N/P,N/P+1
initialise old(i) for i = 1,2,...,N/P-1,N/P (eg randomly)
loop over iterations

! Implement boundary conditions (processes arranged as a ring)
  set old(0) on this process to old(N/P) from previous process
  set old(N/P+1) on this process to old(1) from next process

! Update road
  call newroad(new, old, N/P)

! Prepare for next iteration
  set old(i) = new(i) for i = 1,2,...,N/P-1,N/P
end loop over iterations
```

! Implement boundary conditions

set `old(0)` on this process to `old(N/P)` from previous process

set `old(N/P+1)` on this process to `old(1)` from next process

- Implement this using blocking receives (e.g. `MPI_Recv`) and:
 - synchronous send (routine blocks until message is received)
 - e.g. `MPI_Ssend`
- or
 - asynchronous send (message copied into buffer, returns straight away)
 - e.g. `MPI_Bsend`
- or
 - non-blocking synchronous send (no buffering but immediate return)
 - e.g. `MPI_Issend` / `MPI_Wait`

! Implement boundary conditions

```
Ssend(old(N/P), up)
```

```
Recv (old(1), down)
```

```
Ssend(old(1), down)
```

```
Recv (old(N/P+1), up)
```

- Guaranteed to deadlock

```
Bsend(old(N/P), up)
```

```
Recv(old(1), down)
```

```
Bsend(old(1), down)
```

```
Recv(old(N/P+1), up)
```

```
call newroad(new, old, N/P)
```

```
set old(i) = new(i) for i = 1, 2, ..., N/P-1, N/P
```

- Where do synchronisation issues become important?

```
call newroad(new, old, N/P) ?
```

- OK because we are writing new but only reading old
- **set old(i) = new(i) ?**
- only OK because **Bsend** has copied **old(1)** and **old(N/P)**

- We **don't** really care if/when the message is received

- we **do** really care if/when we can safely reuse the local send buffers

! Implement boundary conditions

```
Issend(old(N/P), up)
```

```
Recv (old(1), down)
```

```
Issend(old(1), down)
```

```
Recv (old(N/P+1), up)
```

```
call newroad(new, old, N/P)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P)
```

! Implement boundary conditions

```
Issend(old(N/P), up)
```

```
Recv (old(1), down)
```

```
Issend(old(1), down)
```

```
Recv (old(N/P+1), up)
```

```
call newroad(new, old, N/P)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P)
```

! Wait for communications to complete before next iteration

```
wait(up)
```

```
wait(down)
```

! Implement boundary conditions

```
Issend(old(N/P), up)
```

```
Recv (old(1), down)
```

```
Issend(old(1), down)
```

```
Recv (old(N/P+1), up)
```

```
call newroad(new, old, N/P)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P)
```

! Wait for communications to complete before next iteration

```
wait(up)
```

```
wait(down)
```

- **Incorrect!**

- overwriting old is the key issue
- need to know boundary values of old are sent before overwriting

! Implement boundary conditions

```
Issend(old(N/P), up)
```

```
Recv (old(1), down)
```

```
Issend(old(1), down)
```

```
Recv (old(N/P+1), up)
```

```
call newroad(new, old, N/P)
```

```
wait(up)
```

```
wait(down)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P)
```

! Implement boundary conditions

```
Issend(old(N/P), up)
```

```
Recv (old(1), down)
```

```
Issend(old(1), down)
```

```
Recv (old(N/P+1), up)
```

```
call newroad(new, old, N/P)
```

```
set old(i) = new(i) for i = 2,3,...,N/P-1)
```

```
wait(up)
```

```
old(N/P) = new(N/P)
```

```
wait(down)
```

```
old(1) = new(1)
```

- Similar synchronisation issues to non-blocking message passing
 - but worse!

- Imagine we can do halo swaps **directly** with read or write
 - where do synchronisation issues become important?
 - what assumptions are you making about remote reads and writes?
- Consider remote read first

```
old(0)      = old(N/P)  from previous process
```

```
old(N/P+1) = old(1)    from next process
```

```
call newread(new, old, N/P)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P
```

- Imagine we can do halo swaps **directly** with read or write
 - where do synchronisation issues become important?
 - what assumptions are you making about remote reads and writes?
- Consider remote read first

`old(0) = old(N/P) from previous process`

`old(N/P+1) = old(1) from next process`

`call newread(new, old, N/P)`

assuming reads are blocking like Recv

! synchronise to ensure my old values have all been read

`set old(i) = new(i) for i = 1, 2, ..., N/P-1, N/P`

! synchronise to ensure neighbours' old values have been

! updated before I read them on the next iteration

- Imagine we can do halo swaps **directly** with read or write
 - where do synchronisation issues become important?
 - what assumptions are you making about remote reads and writes?
- Consider remote writes

```
set old(0)      on next process      = old(N/P)
```

```
set old(N/P+1) on previous process = old(1)
```

```
call newroad(new, old, N/P)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P
```

- Imagine we can do halo swaps **directly** with read or write
 - where do synchronisation issues become important?
 - what assumptions are you making about remote reads and writes?
- Consider remote writes

```
set old(0)      on next process      = old(N/P)
```

```
set old(N/P+1) on previous process = old(1)
```

! synchronise to ensure my halos on old have been updated

```
call newread(new, old, N/P)
```

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P
```

- Imagine we can do halo swaps **directly** with read or write
 - where do synchronisation issues become important?
 - what assumptions are you making about remote reads and writes?
- Consider remote writes

```
set old(0)      on next process      = old(N/P)
```

```
set old(N/P+1) on previous process = old(1)
```

```
! synchronise to ensure my halos on old have been updated
```

```
call newroad(new, old, N/P)
```

assuming writes
behave like a Bsend

```
set old(i) = new(i) for i = 1,2,...,N/P-1,N/P
```

```
! synchronise to ensure my neighbours have finished with their
```

```
! old arrays (in "newroad") before overwriting them
```


- Synchronisation in PGAS approaches is not simple
 - easy to write programs with subtle synchronisation errors
- Think first, code later!